



Smartflow® LA-ST01 Heavy Duty Tablet for the industrial sector from LASEC® series.

With its 32,000mAh battery, the **Smartflow® LA-ST01** tablet supports up to 180 days in standby mode. Beyond this battery life, the **LA-ST01** tablet allows almost uninterrupted connectivity, as it supports up to 220 hours of calls and 34 hours of browsing.


Having the latest version of the Android 13 operating system allows this device to offer a perfect multitasking experience whether at work or increasing productivity, guaranteeing an uninterrupted day adaptable to your needs.

With speeds up to 20 times faster than 4G, 5G changes the way things are done. The **LA-ST01** is the first heavy-duty tablet with Integrated 5G, ensuring fast connectivity wherever you are.

Designed to resist:

It is designed to withstand drops, shocks and extreme temperatures, backed by certifications that include IP68, IP69K and MIL-STD-810H standards. This resilience allows it to operate without problems in extreme places, whether very cold or very hot.

Designed to solve demanding tasks, even in extreme conditions, the **LA-ST01** stands out in terms of durability and performance. It excels in various scenarios, always giving the best results, even in the most demanding industrial environments.




Smartflow® LA-ST02 Heavy Duty Tablet

for the industrial sector from LASEC® series.

TECHNICAL SPECIFICATIONS

SISTEMA OPERATIVO	Android 13
CPU	Dimensity 720 (MT6853) Octa - Core
MEMORY	12GB RAM + 256GB ROM
SCREEN	10.1" IPS
RESOLUTION	1200 x 1920 px
FRONT CAMERA	32MP
REAR CAMERA	64mp + 20 mp (Night Vision) + 2mp (Macro)
STEREO SPEAKERS	Yes
BATTERY	32000 mAh Battery (33 W fast charge)
REVERSE CHARGING	Yes
DIMENSIONS	249.1 x 167.8 x 19.8mm
COLOR	Black
RUGGED CERTIFICATION	IP68, IP69K, MILMIL-STDSTD-810H
DUAL SIM CARD SLOTS	Yes
NAVIGATION	GPS + Glonass + Galileo + Beidou Galileo
FACE ID	Yes
OTG	Yes
NFC	No
TYPE C USB	Yes
GYROSCOPE	Yes
GRAVITY SENSOR	Yes
LIGHT SENSOR	Yes
MAGNETIC SENSOR	Yes
GSM	B2/B3/B5/B8
CDMA	BC0/BC1/BC10
WCDMA	B1/B2/B4/B5/B8/B6/B19
FDD	B1/B2/B3/B4/B5/B7/B8/B12/B13/ B17/B18/B19/B20/B25/B26/B28A /B28B/
TDD	B34/B38/B39/B40/B41
NR	n1/3/5/8/20/28/38/41/77/78(5G)



PRODUCT SPECIFICATIONS

SMARTFLOW



ST4RT THE CHANGE

Zacatecas, México, 2023[®] All rights reserved are owned by LASEC[®]

For the exclusive use of **LASEC Technology Systems, SAPI de CV**. The total or partial reproduction of the information contained in this document is prohibited. In case of infraction, it will be sanctioned in accordance with applicable Mexican and international laws.